

COUNTERTOPS



Countertops

Paragon Water offers both High Capacity Maintenance Free Countertop Filters as well as Replaceable Cartridge Countertop Filters.

Our High Capacity Maintenance Free Countertop Filter, the P3060, has a patented five-stage filtration system and is the longest lasting residential water filter available. Because this unit is Maintenance Free, there is never a need to replace the cartridge. This filter is NSF-certified for chlorine reduction for 25,000 gallons which equates to less than 1/2 cent per gallon. The P3060 is offered in stylish chrome, white and black.

Our Replaceable Cartridge Countertop Filter, the P3200, is NSF-certified for 500 gallons capacity per cartridge which, for a typical family of four, will last up to one year depending on water quality and usage. This system is NSF-tested and certified to NSF/ANSI Standard 42 for the aesthetic reduction of Chlorine, Taste and Odor, Chloramines and Nominal Particulate Class I and to Standard 53 for the reduction of Lead, Cyst, Mercury, VOC, MTBE and Turbidity. The P3200 is available in both chrome and white.





Part Number	Description
P3060	Maintenance Free Countertop
	Available in Chrome, White, and Black
	Rated Service Flow - 0.5 gpm (1.9 lpm)
	Rated Capacity - 25,000 gallons (94,635 L) or 10 years
	Operating Pressure - 30 - 100 psi (2.1 - 6.9 bar)
	Operating Temperature - 40 - 100°F (4 - 38°C)
	Lasts up to 10 years for a family of four, depending on water quality and usage
	Easy to Install



P3060 Tested and Certified by NSF International to NSF/ANSI Standard 42 for the aesthetic reduction of Chlorine.



Part Number	Description
P3200	Countertop with 2902RC
	Available in Chrome and White
	Rated Service Flow - 0.5 gpm (1.9 lpm)
	Rated Capacity - 500 gallons (1893 L) or 1 year
	Operating Pressure - 30 - 100 psi (2.1 - 6.9 bar)
	Operating Temperature - 40 - 100°F (4 - 38°C)
	Lasts up to 1 year (per cartridge) for a family of four, depending on water quality and usage
	Easy to Install



P3200 Tested and Certified to NSF/ANSI Std. 42 for the aesthetic reduction of Chlorine, Taste and Odor, Chloramines and Nominal Particulate Class 1 and to Std. 53 for the reduction of Lead, Cyst, Mercury, VOC, MTBE and Turbidity.

Warning: Use only with microbiologically safe water.